



ALL PRODUCTS MEET OR EXCEED 2014 PASE/ASME STANDARDS



MODEL NUMBER	CAPACITY	MIN HEIGHT	MAX HEIGHT	SADDLE Diameter	HANDLE Length	LENGTH	WIDTH	HEIGHT	WEIGHT LBS
53300	3 Ton	4-3/4"	18-1/8″	4-1/4"	44"	24-3/4"	13-5/8"	6-1/4"	69
53350	3.5 Ton	5-1/8"	21"	4-1/4"	48-1/2"	28-3/4"	14-3/8"	6-1/4"	92



MODEL NUMBER	CAPACITY	MIN HEIGHT	MAX HEIGHT	REACH	LENGTH	WIDTH	HEIGHT	WEIGHT LBS
56220	22 Ton	8-1/4"	17-3/4″	61"	24″	14-1/2"	10-1/2"	98

affjaxx.com

SINCE 1969, THE VIKING SERIES BY AFF HAS BECOME SYNONYMOUS WITH VALUE AND PERFORMANCE!



MODEL NUMBER	CAPACITY	AIR FITTING	MIN HEIGHT	MAX HEIGHT	LENGTH	WIDTH	HEIGHT	WEIGHT LBS
54200	20 Ton	1/4" NPT	10-1/4"	19-3/4"	6"	5″	10-1/4"	37



Large saddle allows better contact with the load and improves safety

55060

Multi-position ratchet bar instantly locks into place during adjustment

High-grade forged steel and welded frame design for maximum durability

Wide pyramid base design provides added support and security

Ratchet bar is made

from ductile iron for dependable strength and toughness

MODEL MAX TOTAL CAPACITY WIDTH LENGTH HEIGHT NUMBER HEIGHT WEIGHT LBS 14" 55040 4 Ton 21" 8-7/16" 7-1/16" 20 11" 9-3/4" 15-3/4" 55060 6 Ton 24-3/8" 32 9-7/8" 9-7/8" 55220 22 Ton 19-11/16" 13-5/16" 64



Pin style design provides maximum – security even under the heaviest loads

Heavy gauge steel frame design delivers — maximum durability and prevents warpage


Height adjustme to the stand to p

Height adjustment pin is tethered to the stand to prevent loss

- Large v-shaped saddle allows better contact with the load and improves safety



affjaxx.com



300 Corporate Drive Elgin, IL 60123

Phone: 800-323-7402 Fax: 847-717-8419

orders.usa@surewerx.com affjaxx.com surewerx.com/usa







